

F4 SLIM



Views

Main Features



PRINTER
QUATTRO
External

The F4 Smart Taximeter represent the state of the art and new generation of smart taximeters. Its fully Certified by E-MARK, European MID and OIML notified body, comply with all international regulations for Taximeters "OIML R21" of the "International Organization of Legal Metrology".

The taximeter has been designed integrated with all peripherals built-in the same casing, allowing to protect all the parts by a mechanical seal, preventing for any alter or modify in any way the operation of the taximeter making it really inviolable thanks to the Integration "sealed all in one" with the following components:

- A) Taximeter module
- B) Embedded GPS receiver module with built-in antenna
- C) Embedded 4G LTE / Cat-M 5G Ready Modem with built-in antenna
- D) Embedded Bluetooth module (for connection to cell phones and tablets with Drivers for Windows, Android, iOS or other operating system)
- E) Embedded Inertial accelerator at 9 axes.

TAXIMETER description:

Sizes & Weight:

- * W: 11.6 cm
- * H: 8.5 cm
- * D: 3 cm
- * 184 gr ca.

User interfaces:

- * Full Color Graphic LCD display with touch screen.
Viewing area 4.3" diagonal WQVGA 480x272 Resolution Color TFT LED Display with 256,000 Colors Display clearly day and night viewable
- * 7 retro illuminated user buttons

Taximeter Hardware features:

- * Protected power supply switching system 8-16 Vcc with surge protections
- * High computing power M16 CPU chipset w/watch dog, high capacity data flash and Ram memory
- * High Precision clock chipset
- * 3 RS232 serial ports
- * 4 Digital I/O
- * 5 Power outputs controlled by the Software to indicate: operating modes, selected tariff, roof taxi sign.
- * extended operating temperature range -20 to +80 degrees Celsius
- * extended storage temperature range - 40 to +95 degrees Celsius
- * 95% Humidity
- * 3G mechanical strength
- * Power supply ON/OFF data logger

TARIFFS Structures:

63 smart and fully independent tariffs, with 27.000 programmable parameters:

- * Night tariffs
- * Holidays tariffs
- * Auto fare Tariffs
- * Auto-distance tariffs
- * Fix rate tariffs
- * Regular tariffs distance or time Tariff
- * Double tariffs distance and time
- * Smart combined tariffs structures

TARIFF Management manual or fully automatic by:

- * Geo-fencing GPS automatic zone-cross switching
- * Distance automatic switching
- * Time automatic Switching
- * Date automatic Switching
- * Fare amount automatic Switching
- * Remote command switching
- * Fix agree rate

TOTALIZERS:

- * 45 totalizers (partial) + 45 totalizers (no erasable) containing 45 details of work activity data, storage and report printing
- * Independent Shift data totalizer for each Driver activity, storage and printing
- * Automatic and secure Fiscal relevant data download to a secure server, storage, printing and downloading.
- * Storage of last 5000 Trip by Trip full data, storing the detail for each trip IE:
 - A) Progressive number of the Trip
 - B) Time and date of Trip start
 - E) Time and End date of the Trip
 - D) Trip total Km
 - E) Amount of the Trip
 - F) Type of payment, cash or card
 - G) GPS start-up Trip coordinates
 - H) End-of-Trip GPS coordinates
- * Storage of last 1000 Disconnections and connections to the vehicle power supply 12 Volt. With the detail of each type disconnection:
 - A) Time and Date of disconnection
 - B) Time and date of connection

EMBEDDED 9 AXES Inertial sensors.

Embedded inertial acceleration sensors at 9 axes, which detects accelerations X-Y-Z Accelerations / Braking, swerves/curves, rotation and jumps above pre-set levels of acceleration to efficiently control driving behavior for passenger comfort, safety and accident prevention/alarm.

Accelerations X-Y-Z in excess over pre-set limits, are saved in the data flash and downloaded through 4G/5G network for driver behavior analysis and eventual sanctions.

ACCIDENT ALARM:

Embedded Inertial acceleration sensors at 9 axes continuously control Impacts and in case of accident impact, it will memorize the accelerations of the 9 axes from 20 seconds before and 20 seconds after impact, sending in real time to the central office an accident alarm for rescue and furthermore will provide useful information for the accident analysis.

Furthermore by means of the accelerometer the taximeter through an odometer distance data crossing algorithm and Accelerations, will continually checks if have been over-entered Illegal distance impulses to increase illegally the FARE.

GPS Funtionalities:

GPS TRACKING:

The GPS provide continuous and precise vehicle position at all times to all available running applications, with the purpose of Taxi tracking intended for:

- * Precise location for Job dispatching
- * Precise location for Emergency aggression alarm or accident
- * Fare calculation Anti tampering algorithms
- * Geo-fencing tariff management
- * Precise clock and date auto setting

GEO-FENCING

The taximeter is equipped with an algorithm of GPS geo-referencing that allows the selection and Automatic introduction of the tariff corresponding to the transit zone (For those cases in which zone-tariff is established), When the taxi enters the georeferenced zone; for example, Motorway, airport, city periphery, and others the taximeters will select and enter the corresponding tariff Automatically (not manually).

ANTI-TAMPERING by GPS:

A data-crossing algorithm between the distance traveled by the GPS and the distance Calculated by the odometer, will continuously check if the Odometer distance calculated for the purposes of the tariff correct price calculation

4G LTE / CAT-M 5G READY COMMUNICATION MODEM:

The integrated modem provide full Two ways communication with:

* Internet network

The taximeter is connected with internet network for any information or data will be required for its operation.

* Data center

The taximeter can download and/or up load any data for company data center management

* Fiscal data center

The taximeter can download in real time the Fiscal relevant data to the fiscal office servers in secure way.

* call center

The taximeter can receive and send text messages from/to the company call center

The taximeter can be blocked and/or controlled from remote command from the company call center

* emergency center

by pressing a Panic Button the taximeter will send the GPS position by the 4G/5G modem to an emergency center for rescue operations coordination.

OTA Tariff update (Over The AIR)

The F4 thanks to its embedded 4G/5G modem and powerful CPU/Memory/Software is capable to change upgrade the tariffs and OS software over the air at any time, without need to drive the Taxi to any workshop for tariff re-programming or software upgrade, its completely automatic, quick, safe and free of any charge. This unique OTA feature prevent any mistake or irregular tariff reprogramming by workshops, making the taximeter very safe and cheat-free from irregular tariffs manipulation. Furthermore, for those large fleets, IE 5.000/50.000 taxis to be updated periodically with new tariffs, with the F4 OTA system it's possible to update the complete fleet at the same minute, having the full fleet updated the same minute and not requiring over 30 more days required for manual update, this saving a lot of time and money. Been the OTA system very flexible, with the possibility to tele charge special events-tariff, even limited to some group of taxis, to some areas, Its possible also to tele charge special tariff for a limited time, very useful for special tariff to be temporally applied for temporally events, like football match, concerts, snow, ect, etc.

EXTERNAL PRINTER for receipts, working reports, ect.

The Thermal Graphics printer, prints 24 characters per line and its totally controlled by the taximeter, printing the following data for each ticket:

Company Graphic heading, Logo and advertisings each ticket is composed by:

1. Trip Date;
2. Time the trip has been started and the time it was completed;
3. The tariff activated or applied;
4. The Taximeter number and official license provided by the authorities;
5. Vehicle license plate;
6. The total amount (FARE) (EXTRAS) for the trip;
7. The city and municipality where the service is provided;
8. The site or radio taxi, corresponding to the vehicle;
9. The phones of the authorities, radio taxi, with clear instructions for complaints, loss and fund or anomalies in the service.
10. Duration of service in minutes and kilometers Courses.

The F4 printer is certified as per automotive standard capable to well operate at 75 degrees Celsius.

EXTERNAL ACCESSORIES Interfaces

- * Thermal Graphic Printer
- * Smart card reader for electronic or application for automatic payment to credit card or User debit
- * POS Terminals (Point of Sales) to receive payment with credit cards, Debit or credit cards.
- * Smart roof sign
- * LED roof sign
- * External tariff indicators
- * Passenger sensor
- * Mechanical odometer
- * Can bus
- * RS232 serial link
- * Mobile data terminal
- * Mobile phone/tablet

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....





by **Italtax** - Italy Headquarter

Via dell'Industria 16 - 62017 Porto Recanati (MC) - ITALY

Phone +39 071 7590984 r.a. - Fax +39 071 9797405

E-mail: info@digitax.com - Web: www.digitax.com

GPS: 43.412423,13.654716

Digitax España

C/Tomás Bretón, 7
28045 – Madrid
SPAIN
Phone +34 902366292
Fax +34 915271562
Web: www.digitax-es.com
E-mail: info@digitax-es.com

Digitax Electronincs U.K.

Smokehouse, 31
Tanners Bank North Shields
Tyne & Wear NE 30 1 JH
ENGLAND
Phone +44 (0191) 296 1294
Fax +44 (0191) 257 8438
Web: www.digitax.net
E-mail: digitaxuk@aol.com

Digitax Deutschland

Taxitech Handelsges. mbh
Sommerkamp 31a - 22335
Hamburg
GERMANY
Phone +49 40 555 05540
Fax +49 40 555 05530
Web: www.digitax-de.com
E-mail: digitax@taxitech.de

Digitax Nederland B.V.

Postbus 84112
3009 CC ROTTERDAM
HOLLAND
Phone +31 10 4512121
Fax : +31 10 4500453
E-mail: h.wittenberg@planet.nl
E-mail: info@digitax.nu

Digitax CO. Mauritius

P.O. box 775
Bel Village
MAURITIUS
Phone +230 234 4533/4936
Fax +230 234 5866
Web: www.mtl-co.net
E-mail: mtlts@intnet.mu



Mobility Solutions

